

MTP PRO(12) DOUBLE CONNECTION ASSEMBLY OM5

FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL

MTP PRO(12) DOUBLE CONNECTION ASSEMBLY is a high-density 24-fiber optical cable with double connectors at the ends containing 12 fibers and designed for fast and compact connections in data centers and high-speed networks.

High-quality MTP® PRO connectors provide reverse polarity and pin (gender) change, as well as very low insertion loss and reliable long-term support for high-speed network applications.

Can be used for connecting both inside the rack and between the racks of the row.



SPECIFICATION

SKU	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL
MTP Jumper Type	Connection Assembly
Fiber Type	OM5 50/125 MMF
Fiber Count	24
Connector A	12F MTP PRO male
Connector B	12F MTP PRO male
Polarity	Type B
Loss Class	Ultra Low Loss
Connector A Insertion Loss	≤ 0,1 dB (typ.); ≤ 0,2 dB (max.)
Connector A Return Loss	≥ 35 dB
Connector B Insertion Loss	≤ 0,1 dB (typ.); ≤ 0,2 dB (max.)
Connector B Return Loss	≥ 35 dB
Cable Structure	Single Jacket
Cable Attenuation	≤ 2,3 dB/km @850 nm; ≤ 0,6 dB/km @1300nm
Cable Outside Diameter	3 mm
Cable Jacket	LSZH
Min. Bend Radius	20/10D (Dynamic/Static)
Tensile Strength	Cable: 200 N (Installation); 100 N (In Service)
Operating Temperature	-10 to 50°C
Storage Temperature	-20 to 60°C

Part Numbers

A249FF80001	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 1 m
A249FF80002	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 2 m
A249FF80003	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 3 m

Part Numbers (continue)

A249FF80004	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 4 m
A249FF80005	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 5 m
A249FF80006	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 6 m
A249FF80007	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 7 m
A249FF80008	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 8 m
A249FF80009	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 9 m
A249FF80010	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 10 m
A249FF80011	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 11 m
A249FF80012	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 12 m
A249FF80013	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 13 m
A249FF80014	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 14 m
A249FF80015	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 15 m
A249FF80016	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 16 m
A249FF80017	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 17 m
A249FF80018	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 18 m
A249FF80018	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 18 m
A249FF80019	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 19 m
A249FF80020	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 20 m
A249FF80025	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 25 m
A249FF80030	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 30 m
A249FF80035	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 35 m
A249FF80040	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 40 m
A249FF80045	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 45 m
A249FF80050	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 50 m
A249FF80055	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 55 m
A249FF80060	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 60 m

Part Numbers (continue)

A249FF80070	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 70 m
A249FF80080	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 80 m
A249FF80090	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 90 m
A249FF80100	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 100 m
A249FF80001	FO Double Connection Assembly 24 x 50/125 OM5, MTP PRO(12)m/MTP PRO(12)m, type B, LSZH, ULL, 1 m
